

SPEC SHEET + MEASUREMENTS

PORT AUTHORITY.

Port Authority® Flexfit NU® Cap. C988

Product photo




- 79/18/3 polyester/rayon/spandex
- ActiveGuard™ Tech to diffuse sweat through the undervisor more effectively
- Cool & Dry technology wicks perspiration away and keeps you cool, dry and refreshed
- Moisture-wicking sweatband
- Tri-layer front panel with minimal stitching technique and interior seam-sealed taping for ease of decoration
- Permacurv® bill to maintain proper shape and curve
- Structured
- Mid-profile
- Stretch fit

Sketches



front



back

SPEC SHEET + MEASUREMENTS

PORT AUTHORITY

Port Authority® Flexfit NU® Cap. C988

PRODUCT MEASUREMENTS

	S/M	L/XL
Crown Height	6 7/8	6 7/8
Width of Front Panel(s)	7 1/2	7 1/2
Bill/Visor Length	2 3/4	2 3/4

Crown Height: Measure from middle of button at top, to brim seam along center front.

Width of Front Panel(s): Measure from side seam to side seam along bottom of crown (where bill meets crown along seam).

Bill/Visor Length: Measure from outside edge of bill to crown seam at center front.

SIZE CHARTS

	S/M	L/XL
Hat Size	6 3/4-7 1/4	7 1/8-7 5/8
Head Size	21 1/4- 22 3/4	22 3/8- 23 7/8

SPEC SHEET + MEASUREMENTS

PORT AUTHORITY

Port Authority® Flexfit NU® Cap. C988

HOW TO MEASURE

HATS

Measure the circumference around the head, above the eyebrow and at the widest part of the head.

Divide number by 3.14 for hat size.

COLORS



Deep Black
PMS BLACK
C



River Blue
Navy
PMS 533C



Storm Grey
PMS COOL
GRAY 11C